

□□□□□□□□ □□□□□□□□



□□□□ 30-□□□□□ □□□□□□ □□□□□□

□□□□□□□□

如何有效管理您的时间



时间管理是成功的关键！本文将为您提供实用的时间管理技巧，帮助您提高效率，实现目标。

1. 明确目标：设定清晰、具体的目标，并将其分解为可执行的任务。
2. 制定计划：根据目标制定详细的时间计划，合理安排任务优先级。
3. 执行计划：严格按照计划执行任务，避免拖延和分心。
4. 反思总结：定期回顾时间管理效果，总结经验教训，持续改进。



□ □ □ □ □ □ □ □

□□□□□

BBT □□□□□□□□ (°F):

□□□□□□ □□□:

□□□□□□□□□□ □□□:

[illegible]

LH 00000:

7

□□□□□:

□□□□□□:

☐

□ □ □ □ □ □ □ □ □ □

00000000 00000000 00000000 00000000 0000 0000000000 000000 -- 0000000000000000, 00000000, 0000 0000 000000

[illegible]

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐

□ □ □ □ □ □ □ □

□□□□□ _____

BBT (°F):

□□□□□□ □□□:

□□□□□□□□□□ □□□□□□□□□□ :

□□□□□□□□ □□□□□□□□ :

LH □□□□□:

7

□□□□□:

7

□□□□□□:

7

□ □ □ □ □ □ □ □ □ □

[illegible]

□ □ □ □ □ □ □ □ □ □ □ □ □ □

$\frac{1}{n} \sum_{i=1}^n x_i = \bar{x}$

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐

[illegible]

□ □ □ □ □ □ □ □

□□□□□ _____

BBT (°F):

□□□□□ □□□:

□□□□□□□□ □□:

□□□□□□□□ □□□□□□:

LH 00000:

□□□□□:

9

□□□□□□:

A diagram of a 10-bit shift register. It consists of a horizontal row of 10 rectangular cells, each representing a flip-flop. Above each cell is an input label: A, B, C, D, E, F, G, H, I, J. Below each cell is an output label: A, B, C, D, E, F, G, H, I, J. The cells are connected in a chain, with the output of one cell feeding into the input of the next cell to its right. The first cell (A) has an additional input from the left, and the last cell (J) has an additional output to the right.

በሀገር ውስጥ በሚኖሩ ህዝቦች መካከል በሚኖረው ግንኙነት ምክንያት ለሀገር ውስጥ ምን ዓይነት ግንኙነት ይኖራል? ለምሳሌ ለሀገር ውስጥ ምን ዓይነት ግንኙነት ይኖራል? ለምሳሌ ለሀገር ውስጥ ምን ዓይነት ግንኙነት ይኖራል?

$\frac{1}{n} \left(\frac{1}{n} + \frac{1}{n} + \dots + \frac{1}{n} \right) = \frac{1}{n}$

□□ □□□□ □□□□□□ □□□□□ □□□□□ □□□□□ □□□□ □□□□ (□□□, □□□□□□, □□□□)

□ □ □ □ □ □ □ □

□□□□□ _____

BBT (°F):

□□□□□□ □□□:

□□□□□□□□□□ □□□□□□□□□□ :

□□□□□□□□ □□□□□□□□ :

LH 00000:

7

□□□□□:

□□□□□□:

7

□ □ □ □ □ □ □ □ □ □

00000000 00000000 00000000 00000000 0000 0000000000 000000 -- 0000000000000000, 00000000, 0000 0000 000000

□□□□□□□□ □□□□□□□□? □□ □□□□□□ □□□□□□ -- □□ □□□□□□ □□□□ □□□□ □□□□ □□□□

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐

□ □ □ □ □ □ □ □

5

□□□□□

BBT □□□□□□□□ (°F):

□□□□□□ □□□:

□□□□□□□□□□ □□□:

[illegible]

LH □□□□□:

1

□□□□□:

☐

□□□□□□:

□ □ □ □ □ □ □ □ □ □

00000000 00000000 00000000 00000000 0000 0000000000 000000 -- 0000000000000000, 00000000, 0000 0000 000000

[illegible]

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐

[illegible]

□ □ □ □ □ □ □ □

5

55555

BBT □□□□□□□□ (°F):

□□□□□□ □□□:

□□□□□□□□□□ □□□□ :

[illegible]

LH 00000:

7

□□□□□:

9

□□□□□□:

9

11/11/2019

□ □ □ □ □ □ □ □ □ □

00000000 00000000 00000000 00000000 0000 0000000000 000000 -- 0000000000000000, 00000000, 0000 0000 000000

[illegible][illegible][illegible]

□ □ □ □ □ □ □ □

□□□□□ _____

BBT □□□□□□□□ (°F):

□□□□□ □□□:

□□□□□□□□ □□:

□□□□□□□□ □□□□□□:

LH 00000:

□□□□□:

11

□□□□□:

1

A diagram of a 10-bit shift register. It consists of a horizontal row of 10 rectangular cells, each representing a flip-flop. Above each cell is an input label: A, B, C, D, E, F, G, H, I, J. Below each cell is an output label: A, B, C, D, E, F, G, H, I, J. The cells are connected in a chain, with the output of one cell being the input to the next cell to its right. The first cell (A) has an additional input from the left, and the last cell (J) has an additional output to the right.

[illegible]

$\frac{1}{n} \left(\frac{1}{n} + \frac{1}{n} + \dots + \frac{1}{n} \right) = \frac{1}{n}$

□□ □□□□ □□□□□□ □□□□□ □□□□□ □□□□□ □□□□ □□□□ (□□□, □□□□□□, □□□□)

□ □ □ □ □ □ □ □



□□□□□ _____

BBT □□□□□□□□ (°F):

□□□□□ □□□:

□□□□□□□□ □□:

□□□□□□□□ □□□□□□:

LH 00000:

☐

□□□□□:

□□□□□□:

© 2006 The Authors

A diagram of a 10-bit shift register. It consists of a horizontal row of 10 rectangular cells, each representing a flip-flop. Above each cell is an input label: A, B, C, D, E, F, G, H, I, J. Below each cell is an output label: A, B, C, D, E, F, G, H, I, J. The cells are connected in a chain, with the output of one cell being the input to the next cell to its right. The first cell (A) has an additional input from the left, and the last cell (J) has an additional output to the right.

በጥቅምት ፳፻፲፱ ዓ.ም. በጥቅምት ፳፻፲፱ ዓ.ም. በጥቅምት ፳፻፲፱ ዓ.ም. -- በጥቅምት ፳፻፲፱ ዓ.ም., በጥቅምት, በጥቅምት ፳፻፲፱ ዓ.ም.

A horizontal number line with 12 empty rectangular boxes for writing numbers. The boxes are arranged in two groups of six, separated by a small gap.

[illegible][illegible]

□ □ □ □ □ □ □ □



□□□□□ _____

BBT □□□□□□□□ (°F):

□□□□□ □□□:

□□□□□□□□ □□:

□□□□□□□□ □□□□□□:

LH 00000:

☐

□□□□:

□□□□□□:

© 2006 The Authors

□ □ □ □ □ □ □ □ □ □

በግንባታው ላይ የሚሳተፉት ሰራተኞች በሰላማዊነት ይሰራሉ፡፡ በግንባታው ላይ የሚሳተፉት ሰራተኞች በሰላማዊነት ይሰራሉ፡፡

A horizontal number line with 12 empty rectangular boxes for writing numbers. The boxes are arranged in two groups of six, separated by a small gap.

$\frac{1}{n} \left(\frac{1}{n} + \frac{1}{n} + \dots + \frac{1}{n} \right) = \frac{1}{n}$

[illegible]

□ □ □ □ □ □ □ □



□□□□□ _____

BBT □□□□□□□□ (°F):

□□□□□□ □□□:

□□□□□□□□ □□:

□□□□□□□□ □□□□□□□□:

LH 00000:

☐

□□□□□:

□□□□□□:

© 2006 The Authors
Journal compilation © 2006 Blackwell Publishing Ltd

በግንባታው ላይ የሚሳተፉት ሰራተኞች በሰላማዊነት ይሰራሉ -- በሰላማዊነት ይሰራሉ, በሰላማዊነት ይሰራሉ

A horizontal number line with 12 empty rectangular boxes for writing numbers. The boxes are arranged in two groups of six, separated by a small gap.

□□□□□□□□ □□□□ □□□□?□□ □□□□□□ □□□□ -- □□ □□□□□ □□□□ □□□□ □□□□ □□□□

□□□□□□□□ □□□□□□□□ □□□□□□ □□□□□□ □□□□ (□□□, □□□□□□, □□□□)

□ □ □ □ □ □ □ □

□□□□□ _____

BBT □□□□□□□□ (°F):

□□□□□ □□□:

□□□□□□□□ □□:

□□□□□□□□ □□□□□□:

LH 00000:

□

□□□□□:

□□□□□:

A diagram of a 10-bit shift register. It consists of a horizontal row of 10 rectangular cells, each representing a flip-flop. Above each cell is an input label: A, B, C, D, E, F, G, H, I, and J. Below each cell is an output label: A, B, C, D, E, F, G, H, I, and J. The cells are connected in a chain, with the output of one cell being the input to the next cell to its right. The first cell (A) has an additional input from the left, and the last cell (J) has an additional output to the right.

በጥቅምት ፳፻፲፱ ዓ.ም. በጥቅምት ፳፻፲፱ ዓ.ም. በጥቅምት ፳፻፲፱ ዓ.ም. -- በጥቅምት ፳፻፲፱ ዓ.ም., በጥቅምት, በጥቅምት ፳፻፲፱ ዓ.ም.

$\frac{1}{n} \left(\frac{1}{n} + \frac{1}{n} + \dots + \frac{1}{n} \right) = \frac{1}{n}$

[illegible]

□ □ □ □ □ □ □ □

□□□□□ _____

BBT (°F):

□□□□□□ □□□:

[illegible]

LH □□□□:

7

555

□□□□□□:

7

□ □ □ □ □ □ □ □ □ □

00000000 00000000 00000000 00000000 0000 0000000000 000000 -- 0000000000000000, 00000000, 0000 0000 000000



□□□□□□□□ □□□□□□□□? □□ □□□□□□ □□□□□□ -- □□ □□□□ □□□□ □□□□ □□□□ □□□□

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐

[illegible]

□ □ □ □ □ □ □ □



□□□□□ _____

BBT □□□□□□□□ (°F):

□□□□□ □□□:

□□□□□□□□ □□:

□□□□□□□□ □□□□□□□□:

LH 00000:

□□□□□:

□□□□□□:

□ □ □ □ □ □ □ □ □ □

በጥቅምት ፳፻፲፱ ዓ.ም. በጥቅምት ፳፻፲፱ ዓ.ም. በጥቅምት ፳፻፲፱ ዓ.ም. -- በጥቅምት ፳፻፲፱ ዓ.ም. በጥቅምት ፳፻፲፱ ዓ.ም. በጥቅምት ፳፻፲፱ ዓ.ም.

[illegible][illegible]

□ □ □ □ □ □ □ □

□□□□□ _____

BBT □□□□□□□□ (°F):

□□□□□□ □□□:

□□□□□□□□□□ □□□:

[illegible]

LH 00000:

1

5/5

☐

□□□□□□:

1

□ □ □ □ □ □ □ □ □ □

00000000 00000000 00000000 00000000 0000 0000000000 000000 -- 0000000000000000, 00000000, 0000 0000 000000

[illegible][illegible][illegible]

□ □ □ □ □ □ □ □

55555

BBT □□□□□□□□ (°F):

□□□□□□ □□□:

□□□□□□□□□□ □□□:

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ :

LH □□□□□:

1

□□□□□:

□□□□□□:

□ □ □ □ □ □ □ □ □ □

00000000 00000000 00000000 00000000 0000 0000000000 000000 -- 0000000000000000, 00000000, 0000 0000 000000

[illegible]

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐

[illegible]

□ □ □ □ □ □ □ □

□□□□□ _____

BBT □□□□□□□□ (°F):

□□□□□ □□□:

□□□□□□□□ □□:

□□□□□□□□ □□□□□□:

LH 00000:

☐

555

□□□□□□:

© 2006 The Authors

በግንባታው ላይ የሚሳተፉት ሰራተኞች በሰላማዊነት ይሰራሉ፡፡ በግንባታው ላይ የሚሳተፉት ሰራተኞች በሰላማዊነት ይሰራሉ፡፡

□ □ □ □ □ □ □ □ □ □ □ □

[illegible]

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐

[illegible]

□ □ □ □ □ □ □ □

□□□□□ _____

BBT (°F):

□□□□□□ □□□:

□□□□□□□□□□ □□□□□□□□□□ :

□□□□□□□□ □□□□□□□□ :

LH □□□□□:

1

□□□□□:

□□□□□□:

□ □ □ □ □ □ □ □ □ □

00000000 00000000 00000000 00000000 0000 0000000000 000000 -- 0000000000000000, 00000000, 0000 0000 000000

Ten

□□□□□□□□ □□□□□□□□? □□ □□□□□□ □□□□□□ -- □□ □□□□ □□□□ □□□□ □□□□ □□□□

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐

