

□□□□□ □□□□□□□□



□□□□ 30-□□□□□ □□□□□□ □□□□□□

□□□□□□□□

如何選擇適合您的保險方案



選擇保險方案時，請考慮您的個人情況和財務目標。以下是選擇保險方案時的一些關鍵因素：

1

確定您的保險需求，包括您希望保什麼、保多少以及保多久。

2

了解保險公司的信譽和財務實力，確保您的投資是安全的。

3

比較不同保險方案的保費和保障範圍，選擇最適合您的方案。

4

諮詢專業保險顧問，他們可以根據您的個人情況提供專業的建議。



- 確定您的保險需求，包括您希望保什麼、保多少以及保多久。
- 了解保險公司的信譽和財務實力，確保您的投資是安全的。
- 比較不同保險方案的保費和保障範圍，選擇最適合您的方案。
- 諮詢專業保險顧問，他們可以根據您的個人情況提供專業的建議。
- 定期審視您的保險方案，確保它仍然符合您的財務目標。



□ □ □ □ □ □ □ □



□□□□□ _____

□□□□□:

A horizontal row of 10 boxes, each containing a number from 1 to 10.

□□□□ □□□□□□:

□□□□ (□-□□):

© 2006 The Authors

_____? _____, _____, _____ _____, _____ _____

A diagram of a 10-bit shift register. It consists of a horizontal row of 10 rectangular cells, each representing a flip-flop. Above each cell is an input label: A, B, C, D, E, F, G, H, I, J. Below each cell is an output label: A, B, C, D, E, F, G, H, I, J. Arrows indicate the data flow: from input A to cell A, from input B to cell B, from input C to cell C, from input D to cell D, from input E to cell E, from input F to cell F, from input G to cell G, from input H to cell H, from input I to cell I, and from input J to cell J. Additionally, there are arrows showing the shift of data from one cell to the next: from cell A to cell B, from cell B to cell C, from cell C to cell D, from cell D to cell E, from cell E to cell F, from cell F to cell G, from cell G to cell H, from cell H to cell I, and from cell I to cell J.

A diagram of a 10-bit shift register. It consists of a horizontal row of 10 rectangular cells, each representing a flip-flop. Above each cell is an input label: A, B, C, D, E, F, G, H, I, and J. Below each cell is an output label: A, B, C, D, E, F, G, H, I, and J. The cells are connected in a chain, with the output of one cell feeding into the input of the next cell to its right. The first cell (A) has a feedback loop from its output back to its input. The last cell (J) has a feedback loop from its output back to its input.

[illegible]

A horizontal number line with boxes for digits. The boxes are arranged as follows: a box for the tens digit, a box for the ones digit, a box for the tenths digit, a box for the hundredths digit, a box for the thousandths digit, a box for the ten-thousandths digit, a box for the hundred-thousandths digit, and a box for the millionths digit. The boxes are empty.

□ □ □ □ □ □ □ □

□□□□□ _____

□□□□□:

A horizontal row of 10 boxes, each containing a number from 1 to 10. The boxes are arranged in a single row, with numbers 1 through 10 in order from left to right.

□□□□ □□□□□□:

□□□□ (□-□□):



_____? _____, _____, _____ _____, _____

A diagram of a 10-bit shift register. It consists of a horizontal row of 10 rectangular cells, each representing a flip-flop. Above each cell is an input label: A, B, C, D, E, F, G, H, I, J from left to right. Below each cell is an output label: A, B, C, D, E, F, G, H, I, J from left to right. Arrows indicate the data flow: from input A to cell A, from input B to cell B, from input C to cell C, from input D to cell D, from input E to cell E, from input F to cell F, from input G to cell G, from input H to cell H, from input I to cell I, and from input J to cell J. Additionally, there are arrows showing the shift of data from one cell to the next: from cell A to cell B, from cell B to cell C, from cell C to cell D, from cell D to cell E, from cell E to cell F, from cell F to cell G, from cell G to cell H, from cell H to cell I, and from cell I to cell J.

A diagram of a 10-bit shift register. It consists of a horizontal row of 10 rectangular cells, each representing a flip-flop. Above each cell is an input label: A, B, C, D, E, F, G, H, I, J from left to right. Below each cell is an output label: A, B, C, D, E, F, G, H, I, J from left to right. Arrows indicate the data flow: from input A to cell A, from input B to cell B, from input C to cell C, from input D to cell D, from input E to cell E, from input F to cell F, from input G to cell G, from input H to cell H, from input I to cell I, and from input J to cell J. Additionally, there are arrows showing the shift of data from one cell to the next: from cell A to cell B, from cell B to cell C, from cell C to cell D, from cell D to cell E, from cell E to cell F, from cell F to cell G, from cell G to cell H, from cell H to cell I, and from cell I to cell J.

[illegible]

A horizontal number line with boxes for digits. The boxes are arranged as follows: a box for the tens digit, a box for the ones digit, a box for the tenths digit, a box for the hundredths digit, a box for the thousandths digit, a box for the ten-thousandths digit, a box for the hundred-thousandths digit, and a box for the millionths digit. The boxes are empty.

[illegible]

□ □ □ □ □ □ □ □

5

55555

555

□□□□ □□□□□□:

□□□□□ (□-□□):

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

11/11/2016

□ □ □ □ □ □ □ □ □ □

_____? _____, _____, _____, _____, _____

□ □ □ □ □ □ □ □ □ □ □

$\frac{1}{n} \sum_{i=1}^n \log p_i = -\frac{1}{n} \sum_{i=1}^n \log p_i$

□ □ □ □ □ □ □ □

[illegible]

□ □ □ □ □ □ □ □ □ □ □ □ □

□ □ □ □ □ □ □ □



555555

□□□□□:

□□□□ □□□□□□:

□□□□□ (□-□□):



□ □ □ □ □ □ □ □ □ □

[illegible]

□ □ □ □ □ □ □ □ □ □ □ □

$\frac{1}{n} \sum_{i=1}^n \log p_i = -\frac{1}{n} \sum_{i=1}^n \log p_i$

□ □ □ □ □ □ □ □

[illegible]

□ □ □ □ □ □ □ □ □ □ □ □ □

A horizontal number line starting at 0 and ending at 100. Major tick marks are labeled every 10 units: 0, 10, 20, 30, 40, 50, 60, 70, 80, 90, 100. Minor tick marks are present between the major ones. A blue arrow starts at 0 and points to 10. A red arrow starts at 10 and points to 20. A green arrow starts at 20 and points to 30. A blue arrow starts at 30 and points to 40. A red arrow starts at 40 and points to 50. A green arrow starts at 50 and points to 60. A blue arrow starts at 60 and points to 70. A red arrow starts at 70 and points to 80. A green arrow starts at 80 and points to 90. A blue arrow starts at 90 and points to 100. The arrows alternate in color: blue, red, green, blue, red, green, blue, red, green, blue.

□ □ □ □ □ □ □ □

5

□□□□□

□□□□□:

□□□□ □□□□□□:

□□□□□ (□-□□):

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

© 2006 Blackwell Publishing Ltd

□ □ □ □ □ □ □ □ □ □

[illegible]


□ □ □ □ □ □ □ □ □ □ □

0000 0000000000000000 00 0000000 0000000 00000000 -- 000 0000 000000000 00 000000 0000000000, 000000000 00 000000 000000000

□ □ □ □ □ □ □ □ □ □

[illegible]

□ □ □ □ □ □ □ □ □ □ □



□ □ □ □ □ □ □ □

□□□□□ _____

□□□□□:

A horizontal row of 10 boxes, each containing a number from 1 to 10.

□□□□ □□□□□□:

□□□□ (□-□□):

[illegible]

A diagram of a 12-bit shift register. It consists of 12 flip-flops arranged in a horizontal row. The flip-flops are labeled from left to right as Q11, Q10, Q9, Q8, Q7, Q6, Q5, Q4, Q3, Q2, Q1, and Q0. Each flip-flop has a 'D' input, a 'Q' output, and a clock input. The 'Q' output of one flip-flop is connected to the 'D' input of the next flip-flop to its right. The 'Q' output of the rightmost flip-flop (Q0) is connected to the 'D' input of the leftmost flip-flop (Q11), forming a closed loop. All flip-flops share a common clock input line.

[illegible][illegible]

□ □ □ □ □ □ □ □



□□□□□

□□□□□:

□□□□ □□□□□□:

□□□□□ (□-□□):

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----



□ □ □ □ □ □ □ □ □ □

□□□□ □□□□□□□□□□ □□ □□ □□□? □□□□□□, □□□□□□□□□□, □□ □□□□□□ □□□□ □□□□□□□□, □□ □□ □□□□ □□□□

□ □ □ □ □ □ □ □ □ □ □ □

0000 0000000000000000 00 0000000 000000 00000000 -- 000 0000 000000000 00 000000 0000000000, 000000000 00 000000 000000000

□ □ □ □ □ □ □ □ □

[illegible]

□ □ □ □ □ □ □ □ □ □ □ □ □

?

□ □ □ □ □ □ □ □

□□□□□ _____

□□□□□:

A horizontal row of 10 boxes, each containing a number from 1 to 10.

□□□□ □□□□□□:

□□□□ (□-□□):



_____? _____, _____, _____ _____, _____

A diagram of a 10-bit shift register. It consists of a horizontal row of 10 rectangular cells, each representing a flip-flop. Above each cell is an input label: A, B, C, D, E, F, G, H, I, J. Below each cell is an output label: A, B, C, D, E, F, G, H, I, J. The cells are connected in a chain, with the output of one cell being the input to the next cell to its right. The first cell (A) has an additional input from the left, and the last cell (J) has an output to the right.

[illegible]

A horizontal number line with 10 empty boxes for digits, separated by vertical bars. The boxes are arranged in a row, with a space between the third and fourth boxes, and between the sixth and seventh boxes.

[illegible]

□ □ □ □ □ □ □ □



55555

□□□□□:

A horizontal row of 10 boxes, each containing a number from 1 to 10.

□□□□ □□□□□□:

□□□□□ (□-□□):

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----



□ □ □ □ □ □ □ □ □ □

□□□□ □□□□□□□□□□ □□ □□ □□□□? □□□□□□, □□□□□□□□□□, □□ □□□□□□ □□□□ □□□□□□□□, □□ □□ □□□□ □□□□

□ □ □ □ □ □ □ □ □ □ □

0000 0000000000000000 00 0000000 000000 00000000 -- 000 0000 000000000 00 000000 0000000000, 000000000 00 000000 000000000

□ □ □ □ □ □ □ □

[illegible]

□ □ □ □ □ □ □ □ □ □ □

[illegible]

□ □ □ □ □ □ □ □

□□□□□ _____

□□□□□:

A horizontal row of 10 boxes, each containing a number from 1 to 10. The boxes are arranged in a single row and are separated by small gaps.

□□□□ □□□□□□:

□□□□ (□-□□):



_____? _____, _____, _____ _____, _____ _____

A diagram of a 10-bit shift register. It consists of a horizontal row of 10 rectangular cells, each representing a flip-flop. Above each cell is an input label: A, B, C, D, E, F, G, H, I, J from left to right. Below each cell is an output label: A, B, C, D, E, F, G, H, I, J from left to right. Arrows indicate the data flow: from input A to cell A, from input B to cell B, from input C to cell C, from input D to cell D, from input E to cell E, from input F to cell F, from input G to cell G, from input H to cell H, from input I to cell I, and from input J to cell J. Additionally, there are arrows showing the shift of data from one cell to the next: from cell A to cell B, from cell B to cell C, from cell C to cell D, from cell D to cell E, from cell E to cell F, from cell F to cell G, from cell G to cell H, from cell H to cell I, and from cell I to cell J.

[illegible][illegible]

□ □ □ □ □ □ □ □

□□□□□ _____

□□□□□:

A horizontal row of 10 boxes, each containing a number from 1 to 10. The boxes are arranged in a single row, with numbers 1 through 10 in order from left to right.

□□□□ □□□□□□:

□□□□ (□-□□):

[illegible]

[illegible]

A horizontal number line with 10 empty boxes for digits, separated by vertical bars. The boxes are arranged in a row, with a space between the third and fourth boxes, and between the sixth and seventh boxes.

[illegible]

□ □ □ □ □ □ □ □



55555

□□□□□:

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

□□□□ □□□□□□:

□□□□□ (□-□□):

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----



□ □ □ □ □ □ □ □ □ □

□□□□ □□□□□□□□□□ □□ □□ □□□□? □□□□□□, □□□□□□□□□□, □□ □□□□□□ □□□□ □□□□□□□□, □□ □□ □□□□ □□□□

□ □ □ □ □ □ □ □ □ □ □

0000 0000000000000000 00 0000000 000000 00000000 -- 000 0000 000000000 00 000000 0000000000, 000000000 00 000000 000000000

□ □ □ □ □ □ □ □

[illegible]

□ □ □ □ □ □ □ □ □ □ □ □ □

[illegible]

□ □ □ □ □ □ □ □



□□□□□ _____

□□□□□:

A horizontal row of 10 boxes, each containing a number from 1 to 10.

□□□□ □□□□□□:

□□□□ (□-□□):



_____? _____, _____, _____ _____, _____ _____

[illegible]

A horizontal number line with 10 empty boxes for digits, separated by vertical tick marks. The boxes are arranged in a row, with the first three boxes followed by a gap, then the next three boxes, and finally the last four boxes.

[illegible]

□ □ □ □ □ □ □ □

5

□□□□□ _____

□□□□□:

□□□□ □□□□□□:

□□□□□ (□-□□):

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

© 2006 The Authors

□ □ □ □ □ □ □ □ □ □

[illegible]

□ □ □ □ □ □ □ □ □ □ □

0000 0000000000000000 00 0000000 000000 00000000 -- 000 0000 000000000 00 000000 0000000000, 000000000 00 000000 000000000

□ □ □ □ □ □ □ □ □ □

□ □ □ □ □ □ □ □ □ □ □ □

[illegible]

□ □ □ □ □ □ □ □

□□□□□ _____

□□□□□:

A horizontal row of 10 boxes, each containing a number from 1 to 10. The boxes are arranged in a single row, with numbers 1 through 10 in order from left to right.

□□□□ □□□□□□:

□□□□ (□-□□):



_____? _____, _____, _____ _____, _____ _____

[illegible][illegible]

□ □ □ □ □ □ □ □



55555

555

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

□□□□ □□□□□□:

□□□□ (□-□□):

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----



□ □ □ □ □ □ □ □ □ □

_____? _____, _____, _____ _____, _____ _____

□ □ □ □ □ □ □ □ □ □ □

$\frac{1}{n} \sum_{i=1}^n \log p_i = -\frac{1}{n} \sum_{i=1}^n \log p_i$

□ □ □ □ □ □ □ □ □

[illegible]

□ □ □ □ □ □ □ □ □ □ □ □

?

□ □ □ □ □ □ □ □



55555

□□□□□:

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

□□□□ □□□□□□:

□□□□ (□-□□):



□ □ □ □ □ □ □ □ □ □

□□□□ □□□□□□□□□□ □□ □□ □□□□? □□□□□□, □□□□□□□□□□, □□ □□□□□□ □□□□ □□□□□□□□, □□ □□ □□□□ □□□□

□ □ □ □ □ □ □ □ □ □ □

0000 0000000000000000 00 0000000 000000 00000000 -- 000 0000 000000000 00 000000 0000000000, 000000000 00 000000 000000000

□ □ □ □ □ □ □ □ □

[illegible]

□ □ □ □ □ □ □ □ □ □ □

□ □ □ □ □ □ □ □



55555

555

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

□□□□ □□□□□□:

□□□□ (□-□□):



□ □ □ □ □ □ □ □ □ □

□□□□ □□□□□□□□□□ □□ □□ □□□□? □□□□□□, □□□□□□□□□□, □□ □□□□□□ □□□□ □□□□□□□□, □□ □□ □□□□ □□□□

□ □ □ □ □ □ □ □ □ □ □

0000 0000000000000000 00 0000000 000000 00000000 -- 000 0000 000000000 00 000000 0000000000, 000000000 00 000000 000000000

□ □ □ □ □ □ □ □

[illegible]

□ □ □ □ □ □ □ □ □ □ □ □ □

0 1 2 3 4 5 6 7 8 9

□ □ □ □ □ □ □ □



55555

555

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

□□□□ □□□□□□:

□□□□ (□-□□):



□ □ □ □ □ □ □ □ □ □

□□□□ □□□□□□□□□□ □□ □□ □□□□? □□□□□□, □□□□□□□□□□, □□ □□□□□□ □□□□ □□□□□□□□, □□ □□ □□□□ □□□□

□ □ □ □ □ □ □ □ □ □ □

0000 0000000000000000 00 0000000 000000 00000000 -- 000 0000 000000000 00 000000 0000000000, 000000000 00 000000 000000000

□ □ □ □ □ □ □ □ □ □

$\square \square \square \square \square \square \square \square$

□ □ □ □ □ □ □ □ □ □ □ □ □

0 1 2 3 4 5 6 7 8 9

□ □ □ □ □ □ □ □

□□□□□ _____

□□□□□:

A horizontal row of 10 boxes, each containing a number from 1 to 10.


□□□□ □□□□□□:

□□□□ (□-□□):



_____? _____, _____, _____ _____, _____ _____

[illegible]



□ □ □ □ □ □ □ □



55555

555

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

□□□□ □□□□□□:

□□□□□ (□-□□):

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----



□ □ □ □ □ □ □ □ □ □

□□□□ □□□□□□□□□□ □□ □□ □□□□? □□□□□□, □□□□□□□□□□, □□ □□□□□□ □□□□ □□□□□□□□, □□ □□ □□□□ □□□□

□ □ □ □ □ □ □ □ □ □ □ □

0000 0000000000000000 00 0000000 000000 00000000 -- 000 0000 000000000 00 000000 0000000000, 000000000 00 000000 000000000

□ □ □ □ □ □ □ □

[illegible]

□ □ □ □ □ □ □ □ □ □ □

[illegible]

□ □ □ □ □ □ □ □



55555

□□□□□:

□□□□ □□□□□□:

□□□□□ (□-□□):

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----



□ □ □ □ □ □ □ □ □ □

[illegible]

□ □ □ □ □ □ □ □ □ □ □

0000 0000000000000000 00 0000000 000000 00000000 -- 000 0000 000000000 00 000000 0000000000, 000000000 00 000000 000000000

□ □ □ □ □ □ □ □ □ □

[illegible]

□ □ □ □ □ □ □ □ □ □ □

0 1 2 3 4 5 6 7 8 9

□ □ □ □ □ □ □ □

□□□□□ _____

□□□□□:

A horizontal row of 10 square boxes. Each box contains a single digit from 1 to 10, in order from left to right.

□□□□ □□□□□□:

□□□□ (□-□□):



_____? _____, _____, _____ _____, _____ _____

[illegible][illegible]

□ □ □ □ □ □ □ □

□□□□□ _____

□□□□□:

A horizontal row of 10 square boxes. Each box contains a single digit from 1 to 10, in order from left to right.

□□□□ □□□□□□:

□□□□ (□-□□):



_____? _____, _____, _____ _____, _____ _____

A diagram of a 10-bit shift register. It consists of a horizontal row of 10 rectangular cells, each representing a flip-flop. Above each cell is an input label: A, B, C, D, E, F, G, H, I, J. Below each cell is an output label: A, B, C, D, E, F, G, H, I, J. The cells are connected in a chain, with the output of one cell being the input to the next cell to its right. The first cell (A) has an additional input from the left, and the last cell (J) has an output to the right.

[illegible]

□ □ □ □ □ □ □ □

□□□□□ _____

□□□□□:

A horizontal row of 10 boxes, each containing a number from 1 to 10. The boxes are arranged in a single row and are separated by small gaps.

□□□□ □□□□□□:

□□□□ (□-□□):



_____? _____, _____, _____ _____, _____

□ □ □ □ □ □ □ □ □ □

[illegible][illegible]

□ □ □ □ □ □ □ □

5

55555

□□□□□:

□□□□ □□□□□□:

□□□□□ (□-□□):

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

11/11/2019

□ □ □ □ □ □ □ □ □ □

□□□□ □□□□□□□□□□ □□ □□ □□□□? □□□□□□, □□□□□□□□□□, □□ □□□□□□ □□□□ □□□□□□□□, □□ □□ □□□□ □□□□

□ □ □ □ □ □ □ □ □ □ □ □

$\frac{1}{n} \sum_{i=1}^n \log p_i = -\frac{1}{n} \sum_{i=1}^n \log p_i$

□ □ □ □ □ □ □ □ □ □ □

☐☐☐☐☐☐☐ ☐☐☐☐☐☐ ☐☐☐☐☐☐ ☐☐☐☐☐☐

□ □ □ □ □ □ □ □ □ □ □ □

A horizontal number line starting at 0 and ending at 100. Major tick marks are labeled every 10 units: 0, 10, 20, 30, 40, 50, 60, 70, 80, 90, 100. A blue arrow starts at 0 and points to 10, labeled '10'. A blue arrow starts at 10 and points to 20, labeled '10'. A blue arrow starts at 20 and points to 30, labeled '10'. A blue arrow starts at 30 and points to 40, labeled '10'. A blue arrow starts at 40 and points to 50, labeled '10'. A blue arrow starts at 50 and points to 60, labeled '10'. A blue arrow starts at 60 and points to 70, labeled '10'. A blue arrow starts at 70 and points to 80, labeled '10'. A blue arrow starts at 80 and points to 90, labeled '10'. A blue arrow starts at 90 and points to 100, labeled '10'. The number 100 is written at the end of the line.

□ □ □ □ □ □ □ □

□□□□□ _____

□□□□□:

A horizontal row of 10 boxes, each containing a number from 1 to 10.

□□□□ □□□□□□:

□□□□ (□-□□):



_____? _____, _____, _____ _____, _____ _____

☐☐☐☐☐☐ ☐☐☐☐☐☐ ☐☐☐☐☐☐ ☐☐☐☐☐☐ ☐☐☐☐☐☐

0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9

□ □ □ □ □ □ □ □



□□□□□ _____

□□□□□:

□□□□ □□□□□□:

□□□□□ (□-□□):



□ □ □ □ □ □ □ □ □ □

□□□□ □□□□□□□□□□ □□ □□ □□□□? □□□□□□, □□□□□□□□□□, □□ □□□□□□ □□□□ □□□□□□□□, □□ □□ □□□□ □□□□

□ □ □ □ □ □ □ □ □ □ □

0000 0000000000000000 00 0000000 000000 00000000 -- 000 0000 000000000 00 000000 0000000000, 000000000 00 000000 000000000

□ □ □ □ □ □ □ □

[illegible]

□ □ □ □ □ □ □ □ □ □ □ □

[illegible]

□ □ □ □ □ □ □ □



55555

□□□□□:

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

□□□□ □□□□□□:

□□□□□ (□-□□):



□ □ □ □ □ □ □ □ □ □

[illegible]

□ □ □ □ □ □ □ □ □ □ □ □

0000 0000000000000000 00 0000000 000000 00000000 -- 000 0000 000000000 00 000000 0000000000, 000000000 00 000000 000000000

□ □ □ □ □ □ □ □ □ □

[illegible]

□ □ □ □ □ □ □ □ □ □ □

[illegible]